AUTHORIZATION TO MARK

In recognition of its compliance with PFS TECO's policies, the manufacturer listed below is authorized to mark their product(s) with the following certification mark.



Manufacturer: Huber Engineered Woods LLC.

Commerce, Georgia

PFS TECO Plant No.: 227

Product: Wood Structural Panels, Oriented Strand Board (OSB)

Product Description: Refer to the following page for list of approved products

Standards: US Department of Commerce Voluntary Product Standard PS 2-18,

Performance Standard for Wood Structural Panels

Canadian Standards Association CSA O325-21,

Construction Sheathing

Authorized by:

Scott Drake President & CEO Revision Date: 04 December 2024



List of Approved Products

Huber Engineered Woods LLC.

Commerce, Georgia Mill No. 227

Oriented Strand Board (OSB)

PS 2 Performance Category ¹	CSA O325 Nominal Thickness ² (mm)	Span Rating	
		PS 2 ¹	CSA O325 ²
3/8, 7/16		Wall-24	
3/8, 7/16		24/0	
7/16	11.0	24/16	1R24 / 2F16 / W24
7/16		24/16 Structural 1	
15/32, 1/2	12.5	32/16	2R32 / 1R24 / 2F16 / W24
1/2		32/16 Structural 1	
19/32, 5/8	15.5	40/20	2R40 / 1R32 / 2F20 / W24
5/8		40/20 Structural 1	
23/32, 3/4	18.0	48/24	2R48 / 2F24
23/32, 3/4		48/24 Structural 1	
19/32, 5/8		20oc	
23/32, 3/4	18.0	24oc	1F24
7/8, 1, 1-1/8	22.0, 25.0	32oc	1F32
1-1/8, 1-1/4	28.5	48oc	1F48

¹ US Department of Commerce Voluntary Product Standard PS 2-18, Performance Standard for Wood Structural Panels

² Canadian Standards Association CSA O325-21, Construction Sheathing. Product types with no span rating under CSA O325 are not approved for use in Canada.



PFS Corporation dba PFS TECO, Cottage Grove, WI USA www.pfsteco.com
The SCC Accreditation Symbol is an official symbol of the Standard Council of Canada, used under license.