AUTHORIZATION TO MARK

In recognition of its compliance with PFS TECO's policies, the manufacturer listed below is authorized to mark their product(s) with the certification mark(s) specified in this document.



Manufacturer: West Fraser Ltd – Quesnel Plywood

Quesnel, British Columbia, Canada

PFS TECO Plant No.: 462

Product: Plywood

Product Description: Refer to the following page for list of approved products for use in

the USA and Canada

Country Identifiers: Refer to the list of approved products and applicable certification

mark and country identifier.

Authorized by: Revision Date: 13 December 2024

Scott Drake
President & CEO



List of Approved Products

West Fraser Ltd – Quesnel Plywood Plant No. 462



Product Standard: PS 1 Plywood

US Department of Commerce Voluntary Product Standard PS 1-19, Structural Plywood

PS 1 Performance Category	Group Classification / Span Rating	Bond Classification	PS 1 Panel Grade			
Products made using Douglas-fir face and back veneers:						
3/8	24/0, Group 1, Structural I ¹		C-C			
	Group 1		C-C Plugged			
1/2	32/16, Group 1, Structural I ¹		C-C			
(5-ply, 5-layer or 4-ply, 3-layer)	16oc, Group 1	Exterior	C-C Plugged			
5/8	40/20, Group 1, Structural I ¹		C-C			
	20oc, Group 1		C-C Plugged			
23/32	24oc, Group 1	Exposure 1	C-D Plugged (Underlayment)			
		Exterior	C-C Plugged			
3/4	48/24, Group 1, Structural I ⁴	Exterior	C-C			
	24oc, Group 1		C-C Plugged			

¹ Product may be sold with or without Structural I designation.



PFS Corporation dba PFS TECO, Cottage Grove, WI USA www.pfsteco.com
The SCC Accreditation Symbol is an official symbol of the Standard Council of Canada, used under license.

List of Approved Products

West Fraser Ltd – Quesnel Plywood Plant No. 462



Product Standard: PS 1 Plywood (continued)

US Department of Commerce Voluntary Product Standard PS 1-19, Structural Plywood

PS 1 Performance Category	Span Rating / Group Classification	Bond Classification	PS 1 Grade			
Products made using spruce (Engelmann or White) veneer:						
3/8	20/0	Exterior	C-C			
1/2	24/0					
5/8	32/16					
3/4	40/20					
3/8	0 0					
15/32	Group 3	Exterior	C-C Plugged			
19/32	16oc					
23/32	20oc					
Performance qualified products:						
3/8	24/0	Exterior	C-C			
1/2	32/16					
5/8	40/20					
3/4	48/24					

PFS Corporation dba PFS TECO, Cottage Grove, WI USA www.pfsteco.com
The SCC Accreditation Symbol is an official symbol of the Standard Council of Canada, used under license.

List of Approved Products

West Fraser Ltd – Quesnel Plywood Plant No. 462

Certification Mark for Products Approved for use in Canada



Product Standards: CSA Plywood

Canadian Standards Association CSA O121-17, *Douglas fir plywood*Canadian Standards Association CSA O151-17, *Canadian softwood plywood*

Thickness (mm)	Species	Bond Classification	CSA Grade
9.5	DLV.		
12.5 (5-ply, 5-layer or 4- ply, 3-layer)	DFP, CSP	Exterior	Sheathing,
15.5	DFF, CSF	Exterior	Select
18.5			
25.5			



PFS Corporation dba PFS TECO, Cottage Grove, WI USA www.pfsteco.com
The SCC Accreditation Symbol is an official symbol of the Standard Council of Canada, used under license.